BRAIN RESEARCH

VOL. 568 NOS. 1/2 **CONTENTS** **24 DECEMBER 1991**

Announcement from the Publisher v

Research Reports

Characterization of gap junctions between cultured leptomeningeal cells
D.C. Spray, A.P. Moreno, J.A. Kessler and R. Dermietzel (U.S.A., F.R.G.) 1

Characterization of retinal and hippocampal L-AP4 receptors using conformationally constrained AP4 analogues
N.L. Peterson, W.B. Thoreson, R.L. Johnson, J.F. Koerner and R.F. Miller (U.S.A.) 15

Neuroanatomical correlates of sparing of function after neonatal medial prefrontal cortex lesions in rats
J.M. de Brabander, C.G. van Eden and J.P.C. de Bruin (Netherlands) 24

Organisation of the visceral solitary tract nucleus in the ferret as defined by the distribution of choline acetyltransferase and nerve growth factor receptor immunoreactivity
Z. Henderson, F. Igielman and F.E. Sherriff (U.K.) 35

Presynaptic dopaminergic neurotransmission mediates amphetamine-induced unconditioned but not amphetamine-conditioned locomotion and defecation in the rat
S.L. Di Lullo and Mathew T. Martin-Iverson (Canada) 45

Ethanol-induced Cl^- flux in rat cerebellar granule cells as measured by a fluorescent probe
A.C. Engblom, I. Holopainen and K.E.O. Åkerman (Finland) 55

Serotonin, but not dopamine, metabolites are increased in selected brain regions of subordinate male rats in a colony environment
D.C. Blanchard, P. Çholvanich, R.J. Blanchard, D.W. Clow, R.P. Hammer Jr., J.K. Rowlett and M.T. Bardo (U.S.A.) 61

Common set of proteins in *Aplysia* sensory neurons affected by an in vitro analogue of long-term sensitization training, 5-HT and cAMP
F. Noel, K.P. Scholz, A. Eskin and J.H. Byrne (U.S.A.) 67

Survival and distribution of transplanted human IMR-32 neuroblastoma cells
K.M. Marsden, T.R. Kershaw, J.D. Sinden and P.L. Lantos (U.K.) 76

Amygdala lesions block the amnestic effects of diazepam
C. Tomaz, H. Dickinson-Anson and J.L. McGaugh (U.S.A., Brazil) 85

Inhibition of lactate-induced swelling by dichloroacetate in human astrocytoma cells
J.L. Tomsig, E. Gruenstein and R.V.W. Dimlich (U.S.A.) 92

Chemical stimulation of the locus coeruleus: inhibitory effects on hemodynamics and renal sympathetic nerve activity
T. Miyawaki, H. Kawamura, K. Komatsu and T. Yasugi (Japan) 101

Release of substance P into the superficial dorsal horn following nociceptive activation of the hindpaw of the rat
K.E. McCarson and B.D. Goldstein (U.S.A.) 109

Effects of doxapram on ionic currents recorded in isolated type I cells of the neonatal rat carotid body
C. Peers (U.K.) 116

Frequency dependence of 5-HT autoreceptor function in rat dorsal raphe and suprachiasmatic nuclei studied using fast cyclic voltammetry
J.J. O'Connor and Z.L. Kruk (U.K.) 123

Effects of intrathecal monoamine antagonists and naloxone on the descending inhibition of the spinal transmission of noxious input in rats: study with a new experimental model
Y.-J. Li, Y.-F. Xie and J.-T. Qiao (People's Republic of China) 131

Effects of non-competitive NMDA receptor antagonists on reproductive and motor behaviors in female rats
A. Fleischmann, P.A. Vincent and A.M. Etgen (U.S.A.) 138

Castration reduces potassium-stimulated norepinephrine release from superfused olfactory bulbs of male rats
X. Guan and D. Dluzen (U.S.A.) 147

Microinjections of norepinephrine within the superficial laminae of trigeminal subnucleus caudalis evoke increases in plasma adrenocorticotropin in the rat
J. Lu and D.A. Bereiter (U.S.A.) 152

O_2 tension in adult and neonatal brain slices under several experimental conditions
C. Jiang, S. Agulian and G.G. Haddad (U.S.A.) 159

Localization of respiratory bulbospinal and propriobulbar neurons in the region of the nucleus ambiguus of the rat
P.A. Núñez-Abades, R. Pásaro and A.L. Bianchi (Spain, France) 165

Sex differences in opioid and non-opioid mediated predator-induced analgesia in mice
M. Kavaliers and D.D. Colwell (Canada) 173

The cerebellopontine system: an electrophysiological study in the rat
S. Berretta, G. Bosco, G. Smecca and V. Perciavalle (Italy) 178

Cyclic changes in cAMP concentration and phosphodiesterase activity in a mammalian circadian clock studied in vitro
R.A. Prosser and M.U. Gillette (U.S.A.) 185

Clonidine inhibition of potassium-evoked release of glutamate and aspartate from rat cortical synaptosomes
Y. Kamisaki, T. Hamahashi, C.M. Okada and T. Itoh (Japan) 193

Neurotoxicity of quinolinic acid and its derivatives in hypoxic rat hippocampal slices
A. Schurr, C.A. West and B.M. Rigor (U.S.A.) 199

(contents continued on p. 360)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus (MEDLINE) — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — Pascal et Francis (INIST-CNRS) — RIS (Reference Update)

BRAIN RESEARCH

VOL. 568 NOS. 1/2 **CONTENTS** **24 DECEMBER 1991**

Announcement from the Publisher v

Research Reports

Characterization of gap junctions between cultured leptomeningeal cells
D.C. Spray, A.P. Moreno, J.A. Kessler and R. Dermietzel (U.S.A., F.R.G.) 1

Characterization of retinal and hippocampal L-AP4 receptors using conformationally constrained AP4 analogues
N.L. Peterson, W.B. Thoreson, R.L. Johnson, J.F. Koerner and R.F. Miller (U.S.A.) 15

Neuroanatomical correlates of sparing of function after neonatal medial prefrontal cortex lesions in rats
J.M. de Brabander, C.G. van Eden and J.P.C. de Bruin (Netherlands) 24

Organisation of the visceral solitary tract nucleus in the ferret as defined by the distribution of choline acetyltransferase and nerve growth factor receptor immunoreactivity
Z. Henderson, F. Igielman and F.E. Sherriff (U.K.) 35

Presynaptic dopaminergic neurotransmission mediates amphetamine-induced unconditioned but not amphetamine-conditioned locomotion and defecation in the rat
S.L. Di Lullo and Mathew T. Martin-Iverson (Canada) 45

Ethanol-induced Cl^- flux in rat cerebellar granule cells as measured by a fluorescent probe
A.C. Engblom, I. Holopainen and K.E.O. Åkerman (Finland) 55

Serotonin, but not dopamine, metabolites are increased in selected brain regions of subordinate male rats in a colony environment
D.C. Blanchard, P. Çholvanich, R.J. Blanchard, D.W. Clow, R.P. Hammer Jr., J.K. Rowlett and M.T. Bardo (U.S.A.) 61

Common set of proteins in *Aplysia* sensory neurons affected by an in vitro analogue of long-term sensitization training, 5-HT and cAMP
F. Noel, K.P. Scholz, A. Eskin and J.H. Byrne (U.S.A.) 67

Survival and distribution of transplanted human IMR-32 neuroblastoma cells
K.M. Marsden, T.R. Kershaw, J.D. Sinden and P.L. Lantos (U.K.) 76

Amygdala lesions block the amnestic effects of diazepam
C. Tomaz, H. Dickinson-Anson and J.L. McGaugh (U.S.A., Brazil) 85

Inhibition of lactate-induced swelling by dichloroacetate in human astrocytoma cells
J.L. Tomsig, E. Gruenstein and R.V.W. Dimlich (U.S.A.) 92

Chemical stimulation of the locus coeruleus: inhibitory effects on hemodynamics and renal sympathetic nerve activity
T. Miyawaki, H. Kawamura, K. Komatsu and T. Yasugi (Japan) 101

Release of substance P into the superficial dorsal horn following nociceptive activation of the hindpaw of the rat
K.E. McCarson and B.D. Goldstein (U.S.A.) 109

Effects of doxapram on ionic currents recorded in isolated type I cells of the neonatal rat carotid body
C. Peers (U.K.) 116

Frequency dependence of 5-HT autoreceptor function in rat dorsal raphe and suprachiasmatic nuclei studied using fast cyclic voltammetry
J.J. O'Connor and Z.L. Kruk (U.K.) 123

Effects of intrathecal monoamine antagonists and naloxone on the descending inhibition of the spinal transmission of noxious input in rats: study with a new experimental model
Y.-J. Li, Y.-F. Xie and J.-T. Qiao (People's Republic of China) 131

Effects of non-competitive NMDA receptor antagonists on reproductive and motor behaviors in female rats
A. Fleischmann, P.A. Vincent and A.M. Etgen (U.S.A.) 138

Castration reduces potassium-stimulated norepinephrine release from superfused olfactory bulbs of male rats
X. Guan and D. Dluzen (U.S.A.) 147

Microinjections of norepinephrine within the superficial laminae of trigeminal subnucleus caudalis evoke increases in plasma adrenocorticotropin in the rat
J. Lu and D.A. Bereiter (U.S.A.) 152

O_2 tension in adult and neonatal brain slices under several experimental conditions
C. Jiang, S. Agulian and G.G. Haddad (U.S.A.) 159

Localization of respiratory bulbospinal and propriobulbar neurons in the region of the nucleus ambiguus of the rat
P.A. Núñez-Abades, R. Pásaro and A.L. Bianchi (Spain, France) 165

Sex differences in opioid and non-opioid mediated predator-induced analgesia in mice
M. Kavaliers and D.D. Colwell (Canada) 173

The cerebellopontine system: an electrophysiological study in the rat
S. Berretta, G. Bosco, G. Smecca and V. Perciavalle (Italy) 178

Cyclic changes in cAMP concentration and phosphodiesterase activity in a mammalian circadian clock studied in vitro
R.A. Prosser and M.U. Gillette (U.S.A.) 185

Clonidine inhibition of potassium-evoked release of glutamate and aspartate from rat cortical synaptosomes
Y. Kamisaki, T. Hamahashi, C.M. Okada and T. Itoh (Japan) 193

Neurotoxicity of quinolinic acid and its derivatives in hypoxic rat hippocampal slices
A. Schurr, C.A. West and B.M. Rigor (U.S.A.) 199

(contents continued on p. 360)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus (MEDLINE) — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — Pascal et Francis (INIST-CNRS) — RIS (Reference Update)

Chronic L-DOPA treatment in the unilateral 6-OHDA rat: evidence for behavioral sensitization and biochemical tolerance
R.J. Carey (U.S.A.) 205
Regional cerebral glucose metabolism compared in rodents and humans
J. Blin, C.A. Ray, T.N. Chase and M.F. Piercey (U.S.A.) 215
Substance P-immunoreactive innervation from the retina to the suprachiasmatic nucleus in the rat
K. Takatsuji, J.-J. Miguel-Hidalgo and M. Tohyama (Japan) 223
Quantification of the effects of long-term unilateral naris closure on the olfactory bulbs of adult mice
J.R. Henegar and J.A. Maruniak (U.S.A.) 230
Immunohistochemical localization of DARPP-32 in striatal projection neurons and striatal interneurons: implications for the localization of D_1-like dopamine receptors on different types of striatal neurons
K.D. Anderson and A. Reiner (U.S.A.) 235
Effects of raphe stimulation on hippocampal and neocortical activity and behaviour
B.K. Peck and C.H. Vanderwolf (Canada) 244
Carotid body chemoreception in the absence and presence of CO_2-HCO_3^-
R. Iturriaga and S. Lahiri (U.S.A.) 253
Aphagic and adipsic effects of interleukin-1
W.T. Chance and J.E. Fischer (U.S.A.) 261
Pinealocytes in rats: connexin identification and increase in coupling caused by norepinephrine
J.C. Sáez, V.M. Berthoud, R. Kadle, O. Traub, B.J. Nicholson, M.V.L. Bennett and R. Dermietzel (U.S.A., F.R.G.) 265

Short Communications

The low affinity component of [^{3}H]clonidine binding is absent in the prefrontal cortex of presumptive suicide victims
A.C. Andorn (U.S.A.) 276
Galanin inhibits the potassium-evoked release of acetylcholine and the muscarinic receptor-mediated stimulation of phosphoinositide turnover in slices of monkey hippocampus
G. Fisone, T. Bartfai, S. Nilsson and T. Hökfelt (Sweden) 279
CNP-22 stimulates, rather than inhibits, water drinking in the rat: evidence for a unique biological action of the C-type natriuretic peptides
W.K. Samson, K.D. Skala and F.-L.S. Huang (U.S.A.) 285
LHRH-immunoreactive neurons in the pterygopalatine ganglia of voles: a component of the nervus terminalis?
C.R. Wirsig-Wiechmann and J.J. Lepri (U.S.A.) 289
Inhibition of rapid potassium flux during cerebral ischemia in vivo with an excitatory amino acid antagonist
Y. Katayama, T. Tamura, D.P. Becker and T. Tsubokawa (U.S.A., Japan) 294
Interaction of glucose signals between the nucleus of the tractus solitarius and the portal vein area in the control of gastric acid secretion in rats
T. Sakaguchi and K. Nakadaira (Japan) 299
Preservation of [^{125}I]galanin binding sites despite loss of cholinergic neurones to the hippocampus in Alzheimer's disease
M. Ikeda, D. Dewar and J. McCulloch (U.K.) 303
Population spike facilitation in the dentate gyrus following glutamate to the lateral supramammillary nucleus
G.P. Carre and C.W. Harley (Canada) 307
Corticotrophin-releasing factor and arginine vasopressin in the hypothalamo-hypophyseal portal blood of rats following high-dose glucocorticoid treatment and withdrawal
D.J.A. Eckland, M.S. Harbuz, D.S. Jessop and S.L. Lightman (U.K.) 311
Nerve injury-induced depletion of tachykinin immunoreactivity in the somatosensory cortex of adult squirrel monkeys
C.G. Cusick (U.S.A.) 314
Non-NMDA receptors in the nucleus of the tractus solitarius play the predominant role in mediating aortic baroreceptor reflexes
F.J. Gordon and C. Leone (U.S.A.) 319
The effect of gangliosides upon recovery of aspartate/glutamatergic synapses in striatum after lesions of the rat sensorimotor cortex
M. Shifman (U.S.S.R.) 323
Differential thalamic connectivity of rostral and caudal parts of cortical area Fr2 in rats
R.R. Hicks and M.F. Huerta (U.S.A.) 325
Fibronectin immunoreactivity in neural trauma
R.A. Egan and V.K. Vijayan (U.S.A.) 330
Rapid appearance of β-amyloid precursor protein immunoreactivity in damaged axons and reactive glial cells in rat brain following needle stab injury
N. Otsuka, M. Tomonaga and K. Ikeda (Japan) 335
Excitatory amino acids acting on metabotropic glutamate receptors broaden the action potential in hippocampal neurons
G.-Y. Hu and J.F. Storm (Norway) 339
Appearance of melatonin receptors during embryonic life in Siberian hamsters (*Phodopus sungorous*)
S.A. Rivkees and S.M. Reppert (U.S.A.) 345
Delayed potassium current and non-specific outward current in pyramidal neurones acutely dissociated from rat hippocampus
Y. Oyama, N. Harata and N. Akaike (Japan) 350

Erratum 355

Author Index 357

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus (MEDLINE) — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — Pascal et Francis (INIST-CNRS) — RIS (Reference Update)